



## SNR Bearing Argentina



QAAPL15A070SO Bearing 2D drawings and 3D CAD models

2.756 Inch | 70 Millimeter x 4.74 Inch | 120.396 Millimeter x 3.252 Inch | 82.6 Millimeter QM INDUSTRIES QAAPL15A070SO Pillow Block Bearings

Bearing No. QAAPL15A070SO

|                           |  |
|---------------------------|--|
| Category                  | Pillow Block Bearings  |
| Inventory                 | 0.0  |
| Manufacturer Name         | TIMKEN   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 10.442   |
| EAN                       | 0883450320917  |
| Product Group             | M06288   |
| Number of Mounting Holes  | 2  |
| Mounting Method           | Concentric Collar  |
| Housing Style             | 2 Bolt Pillow Block  |
| Rolling Element           | Spherical Roller Bearing   |
| Housing Material          | Cast Steel   |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 3/4 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | 22215  |
| Seals                     | Triple Lip Urethane  |
| Housing Configuration     | 1 Piece Solid  |
| Inch - Metric             | Metric   |
| Other Features            | Double Row   Double Collar   With Set Screw  |
| Long Description          | 2 Bolt Pillow Block; 70MM Bore; 82.6MM Base to Center Height; Concentric Collar Mount; Spherical |



## SNR Bearing Argentina

|                                  |   |
|----------------------------------|---|
|                                  | Roller Bearing; 195.58MM<br>Minimum Bolt Spacing;<br>213.36MM Bolt Spacing<br>Maximum; Relubricatable;<br>Cast Stee |
| Category                         | Pillow Block  |
| UNSPSC                           | 31171511  |
| Harmonized Tariff Code           | 8483.20.40.80   |
| Noun                             | Bearing   |
| Keyword String                   | Pillow Block  |
| Manufacturer URL                 | <a href="http://www.qmbearings.com">http://www.qmbearings.com</a>   |
| Weight / LBS                     | 28  |
| D                                | 4.74 Inch   120.396<br>Millimeter   |
| d                                | 2.756 Inch   70 Millimeter  |
| Bolt Spacing Minimum             | 7.7 Inch   195.58Millimeter   |
| Nominal Bolt Center to<br>Center | 8.1 Inch   206.4 Millimeter   |
| Bolt Spacing Maximum             | 8.4 Inch   213.36Millimeter   |
| B                                | 3.252 Inch   82.6 Millimeter  |
| Actual Bolt Center to<br>Center  | 0 Inch   0Millimeter  |